Journal of Applied Polymer Science

Author Index to Volume 55

Abdel Hafiz, S. A.
—; El-Rafie, M. H.; Hassan, S. M.; Hebeish, A.: Grafting of Methacrylic Acid to Loomstate Viscose Fabric Using $KMnO_4/NaClO_2$ System, 997
Abdel-Hamid, M. I. See Bakr, N. A., 415
Aboul-Fetouh, M. E. See Motawie, A. M., 1725
Abuín, S. P. See Pellín, M. P., 225, 1507
Agarwal, M.
—; Choi, K. Y.: Sorption and Polymerization of Methyl Isopropenyl Ketone in Low-Density Polyethylene, 501
Ahn, D.
—; Khait, K.; Petrich, M. A.: Microstructural Changes in Homopolymers and Polymer Blends Induced by Elastic Strain Pulverization, 1431
Airinei, A. See Drăgan, S., 421
Ait-Kadi, A. See Wong, F. C., 263
Akele, N. See Ghorbel, I., 173
Akiho, Y. See Hasegawa, M., 297
Akin-Öktem, G.
—; Tinçer, T.: Preparation and Characterization of Perlite Filled High-Density Polyethylenes. III. Impact Properties, 1093
Albertsson, A.-C. See Löfgren, A., 1589
Albonico, P.
—; Lockhart, T. P.: pH Effects on the Solubility of Polyacrylamides in Hard Brines, 69
Alföldi, J. See Machová, E., 699
Ali, S. A. M.
—; Hourston, D. J.; Manzoor, K.; Williams, D. F.: The Stability of Poly(ether urethane)/ Polydimethylsiloxane Interpenetrating Polymer Networks, 733
Allara, G. See Freddi, G., 481
Amin, M. B. See Hamid, S. H., 1385
Aminabhavi, T. M.
—; Phayde, H. T. S.: Molecular Transport of Alkanes Through Thermoplastic Miscible Blends of Ethylene–Propylene Random Copolymer and Isotactic Polypropylene, 1335
—; Phayde, T. S.: Sorption, Desorption, Diffusion, and Permeation of Aliphatic Alkanes into Santoprene Thermoplastic Rubber, 17
Andres, M. A. See Sanz, G., 75
Angiolini, L.
—; Caretti, D.; Corelli, E.; Carlini, C.: Copolymeric Systems with Pendant Thioxanthone and α-Morpholinoacetophenone Moieties as Photosensitizing and Photoinitiating Agents for UV-Curable Pigmented Coatings, 1477
Arzamendi, G. See Gugliotta, L. M., 1017
Askadskii, A. A.
—; Shvorak, A. E.; Frenkel, T. M.; Babtschinitzer, T. M.; Bychko, C. A.; Kovriga, O. V.; Pankratov, V. A.; Rajulu, A. V.: Structure and Mechanical Properties of the Compositions of Polyisocyanurate Polymers with Low Molecular Weight Rubbers, 1173
Aslan, S.
—; Laurienzo, P.; Malinconico, M.; Martuscelli, E.; Pota, F.; Bianchi, R.; Di Dino, G.; Giannotta, G.: Influence of Spinning Velocity on Mechanical and Structural Behavior of PET/Nylon 6 Fibers, 57
Asua, J. M. See Barandiaran, M. J., 1231; Gugliotta, L. M., 1017
Atvars, T. D. Z. See Dibbern-Brunelli, D., 889

Babtschinitzer, T. M. See Askadskii, A. A., 1173
Baer, E. See Cheng, C., 1691; Elleithy, R. H., 1395
Bakr, N. A.
—; Abdel-Hamid, M. I.; El Hanafy, O.: Microstructure and Mechanical Properties Studies of Polyvinyl Alcohol Lead Salts Complexes, 415
Banerjee, R. S. See Mitra, N. C., 407
Barandiaran, M. J.
—; López De Arbina, L.; De la Cal, J. C.; Gugliotta, L. M.; Asua, J. M.: Parameter Estimation in Emulsion Copolymerization Using Reaction Calorimeter Data, 1231
Barton, S. S. See Poiré, E., 971
Barton, S. W. See Zhao, X., 773
Basak, R. K. See Sikdar, B., 1673

Bello, T. See Scali, C., 945
Berek, D. See Jančo, M., 393
Berti, C. See Fiorini, M., 1157
Bhaduri, S. K. See Kundu, S. K., 543
Bhat, N. V.
—; Yasmin, S.: Electrical Conduction in Cellophane and Polypyrrole Composites and Its Use as an Electrode in Rechargeable Batteries, 1827
Bhattacharya, A. K.
—; Santra, R. N.; Tikku, V. K.; Nando, G. B.: Studies on Miscibility of Blends of Poly(Ethylene-co-Methyl Acrylate) and Poly(Dimethyl Siloxane) Rubber by Melt Rheology, 1747
Bianchi, R. See Aslan, S., 57
Bikiaris, D. N. See Kokkalas, D. E., 787
Bletsos, J. V. See Varelidis, P. C., 1101
Boerio, F. J. See Hong, S. G., 437
Bohm, G. G. A.
—; Nguyen, M. N.: Flocculation of Carbon Black in Filled Rubber Compounds. I. Flocculation Occurring in Unvulcanized Compounds During Annealing at Elevated Temperatures, 1041
Böhme, P.
—; Hicke, H.-G.; Ulbricht, M.; Fuhrhop, J.-H.: FT-IR Spectroscopic Investigations of Photochemical Grafting of Amphiphiles onto Polyacrylonitrile Surfaces, 1495
Boiteux, G. See Xu, X. L., 99
Boutevin, B.
—; Khamlichi, M.; Pietrasanta, Y.; Robin, J. J.: Synthesis and Characterization of a New Block Copolymer: Poly(butylene terephthalate-*co*-olefin) Application on PP/PBT Blend and PBT Homopolymer, 191
Bowman, C. N. See Degrazia, J. L., 793
Brasington, C. R.
—; Gadala-Maria, F.: Decrease in Fluorescence and Phosphorescence Intensity of Nylon 66 Impurities by Exposure to Ultraviolet Radiation, 687
Bretas, R. E. S. See De Carvalho, B., 233
Brodman, B. W. See Sharma, A., 1847
Bukat, K. See Matynia, T., 1583
Burch, R. R. See Hung, M.-H., 549
Bychko, C. A. See Askadskii, A. A., 1173

Cabasso, I. See Chatterjee, G., 851
Cai, M.-J. See Yu, Z.-Z., 1209
Cakmak, M. See Ulcer, Y., 1241
Camilot, M. See Terbojevich, M., 1663
Caneba, G. T. See Guo, H.-F., 753
Canevarolo, S. V.
—; De Candia, F.; Russo, R.: Stereoblock Polypropylene/Isotactic Polypropylene Blends. II. Mechanical Behavior, 387
Cao, K. See Yu, Z.-Z., 1209
Caretti, D. See Angiolini, L., 1477
Carlini, C. See Angiolini, L., 1477
Castro, W. P. See Tavares, M. I. B., 1165
Cauich-Rodriguez, J. V. See Vera-Graziano, R., 1317
Chakravorti, M. C. See Chowdhury, P., 841
Chan Man Fong, C. F. See Xu, Y. Z., 779
Chan, T. W. See Isayev, A. I., 807, 821
Chang, L.-T.
—; Yen, C.-C.: Studies on the Preparation and Properties of Conductive Polymers. VIII. Use of Heat Treatment to Prepare Metallized Films from Silver Chelate of PVA and PAN, 371
Chang, R.-J. See Lin, M.-S., 1607
Chang, T.-C. See Li, C.-H., 747
Chang, W. V. See Kakavas, P. A., 1051
Chang, Y.-L. See Jou, J.-H., 1517
Chao, H. See Zhuang, Y., 1063
Chatterjee, G.
—; Cabasso, I.; Smid, J.: Radiopaque Epoxy Resins, 851
Chauhan, M. See Mehrotra, K. N., 431
Chen, C. C. See Li, C.-H., 747
Chen, C. Y. See Huang, J. M., 1217
Chen, G.-W. See Huang, M.-R., 1145
Chen, J. I. See Jeng, R. J., 209
Chen, J.-Y. See Wu, G., 1275
Chen, K.-M. See Li, C.-H., 747
Chen, S. C.
—; Chen, Y. C.: Effect of Process Conditions on Birefringence Development in Injection-Molded Parts. I. Numerical Analysis, 1757
Chen, S.-H.
—; Lai, J.-Y.: Chemical Grafted 4-Vinylpyridine onto Polycarbonate Membranes for Pervaporation, 1353
Chen, Y. C. See Chen, S. C., 1757
Cheng, C.
—; Hiltner, A.; Baer, E.; Soskey, P. R.; Mylonakis, S. G.: Deformation of Rubber-Toughened Polycarbonate: Microscale and Nanoscale Analysis of the Damage Zone, 1691
Cheng, L. M. See Deng, X. M., 1193; Xiong, C. D., 865
Cheong, S. I.
—; Choi, K. Y.: A Study on the Polymer Layer-Forming

Phenomena in a Rotating Disk Polycondensation Reactor, 1819
Chern, C. S.
—; Hsu, H.: Semibatch Emulsion Copolymerization of Methyl Methacrylate and Butyl Acrylate, 571
Choi, G. D.
—; Kim, S. H.; Jo, W. H.; Rhim, M. S.: The Morphology and Mechanical Properties of Phenoxy/Liquid Crystalline Polymer Blends and the Effect of Transesterification, 561
Choi, H.-M.
—; Mahmood, T.; Li, J. D.; Schlup, J.: Carbodiimide Catalysis in Cross-Linking of Cotton Cellulose with 1,2,3,4-Butanetetracarboxylic Acid, 375
Choi, K. Y. See Agarwal, M., 501; Cheong, S. I., 1819; Crowley, T. J., 1361
Chowdhury, P.
—; Chakravorti, M. C.; Das, C. K.: Role of PbO in Covulcanization of Carboxylated Nitrile–Polyacrylic Rubber Blend in the Presence of Ethylene Thiourea or Mercaptobenzothiazole, 841
Chung, T.-S.
—; Kafchinski, E. R.; Kohn, R. S.; Foley, P.; Straff, R. S.: Erratum to "Fabrication of Composite Hollow Fibers for Air Separation", 839
Chung, Y.-C. See Liu, J.-H., 1441
Ciari, R. See Scali, C., 945
Claramma, N. M. See Nair, N. R., 723
Corelli, E. See Angiolini, L., 1477
Cosani, A. See Terbojevich, M., 1663
Costa, D. A. See Tavares, M. I. B., 1165
Crater, D. H. See Gang, H.-G., 1465
Cristea, M. See Drăgan, S., 421
Crowley, T. J.
—; Choi, K. Y.: In-Line Dielectric Monitoring of Monomer Conversion in a Batch Polymerization Reactor, 1361
Cuculo, J. A. See Gang, H.-G., 1465; Wu, G., 1275
Cudré-Mauroux, N. See Plummer, C. J. G., 489
Cutié, S. S.
—; Martin, S. J.: Size-Exclusion Chromatography of Cross-Linked Superabsorbent Polymers, 605

Darwis, D.
—; Yoshii, F.; Makuuchi, K.; Razzak, M. T.: Improvement of Hot Water Resistance of Poly(vinyl alcohol) Hydrogel by Acetalization and Irradiation Techniques, 1619
Das, C. K. See Chowdhury, P., 841
Davenas, J. See Xu, X. L., 99
Davis, S. V. See Mauritz, K. A., 181
De Candia, F. See Canevarolo, S. V., 387
De Carvalho, B.
—; Bretas, R. E. S.: Crystallization Kinetics of a PEEK/LCP Blend, 233
De la Cal, J. C. See Barandiaran, M. J., 1231
De, P. P. See Roychoudhury, A., 9
De, S. K. See Mandal, U. K., 1185
Decker, C.
—; Moussa, K.: UV-Curable Acrylic Resins for Production of Glass Laminates, 359
Degrazia, J. L.
—; Bowman, C. N.: Settling Characteristics of Microparticles Modified by Hydrophilic Semi-Interpenetrating Polymer Networks, 793
Denes, F. See Ying, T. H., 1537
Deng, X. M.
—; Xiong, C. D.; Cheng, L. M.; Huang, H. H.; Xu, R. P.: Studies on the Block Copolymerization of D,L-Lactide and Poly(ethylene glycol) with Aluminum Complex Catalyst, 1193
—; See Xiong, C. D., 865
Deo, S. S. See Gupta, D. C., 1151
Devi, S. See Rejikumar, S., 871
Di Dino, G. See Aslan, S., 57
Dibbern-Brunelli, D.
—; Atvars, T. D. Z.: Study of Miscibility of Poly(vinyl acetate) and Poly(vinyl alcohol) Blends by Fluorescence Spectroscopy, 889
Dimonie, V. L. See Hu, R., 1411
Dolveck, J. Y. See Xu, X. L., 99
Drăgan, S.
—; Cristea, M.; Airinei, A.; Poinescu, IG.; Luca, C.: Sorption of Aromatic Compounds on Macroporous Anion Exchangers Based on Polyacrylamide: Relation Between Structure and Sorption Behavior, 421
Du, Z. See Liu, Z., 1733
Dupin, J. P. See Xu, X. L., 99

El Hanafy, O. See Bakr, N. A., 415
El-Aasser, M. S. See Hu, R., 1411
Elleithy, R. H.
—; Hiltner, A.; Baer, E.; Fraser, I. M.; Orton, M. L.: Deformation and Fracture of Urethane–Methacrylate Resins, 1395
El-Rafie, M. H. See Abdel Hafiz, S. A., 997
Escoubes, M. See Xu, X. L., 99

Evans, L. R. See Waddell, W. H., 1627

Fakhr El-Din, A. See Motawie, A. M., 1725
Faliagas, A. See Sfyrakis, J., 1739
Farriss, C. W., II
—; Kelley, F. N.; Von Meerwall, E.: Use of Carbon Fibril Additives to Reduce the dc Resistivity of Elastomer-Based Composites, 935
Feng, W. See Zhu, P., 1111
Fiorini, M.
—; Berti, C.; Ignatov, V.; Toselli, M.; Pilati, F.: New Catalysts for Poly(ethylene terphthalate)-Bisphenol A Polycarbonate Reactive Blending, 1157
Flores, R. Ma. E. See Rodriguez, A. S., 675
Focher, B. See Terbojevich, M., 1663
Foley, P. See Chung, T.-S., 839
Fountas, D. See Simitzis, J., 879
Fraser, I. M. See Elleithy, R. H., 1395
Freddi, G.
—; Kato, H.; Tsukada, M.; Allara, G.; Shiozaki, H.: Physical Properties and Dyeability of NaOH-Treated Silk Fibers, 481
Frenkel, T. M. See Askadskii, A. A., 1173
Fucugauchi, L. A. See Lopez, R., 279
Fuhrhop, J.-H. See Böhme, P., 1495
Fukuda, M. See Kanamori, T., 1601

Gadala-Maria, F. See Brasington, C. R., 687
Galante, M. J.
—; Williams, R. J. J.: Polymer Networks Based on the Diepoxide–Diisocyanate Reaction Catalyzed by Tertiary Amines, 89
Gándara, J. S. See Pellín, M. P., 225, 1507
Gang, H.-G.
—; Cuculo, J. A.; Nam, S.; Crater, D. H.: Frictional Properties of Polyolefins Treated with Fluoroelastomer Processing Aids, 1465
Gao, J.-P.
—; Li, Z.-C.; Huang, M.-Z.: Graft Copolymerization of *N*-Vinylpyrrolidone onto Gelatin, 1291
Garmendia, J. See Sanz, G., 75
Geethamma, V. G.
—; Joseph, R.; Thomas, S.: Short Coir Fiber-Reinforced Natural Rubber Composites: Effects of Fiber Length, Orientation, and Alkali Treatment, 583
Geyser, M.
—; McGill, W. J.: A Study of the Rate of Formation of Polysulfides of Tetramethylthiuram Disulfide, 215
Gholap, D. H. See Gupta, D. C., 1151
Ghorbel, I.
—; Akele, N.; Thominette, F.; Spiteri, P.; Verdu, J.: Hydrolytic Aging of Polycarbonate. II Hydrolysis Kinetics, Effect of Static Stresses, 173
—; Thominette, F.; Spiter, P.; Verdu, J.: Hydrolytic Aging of Polycarbonate I. Physical Aspects, 163
Giannotta, G. See Aslan, S., 57
Gmerek, M. See Isayev, A. I., 807, 821
Goh, S. H. See Yeo, Y. T., 1651
Gorelova, M. M.
—; Pertsin, A. J.; Muzafarov, A. M.; Gritsenko, O. T.; Vasilenko, N. G.: Surface Modification of Poly(vinyl chloride) with Poly(methyl methacrylate)/ Poly(dimethyl siloxane) Graft Copolymers, 1131
Gritsenko, O. T. See Gorelova, M. M., 1131
Guan, Q.
—; Shen, K.; Ji, J.; Zhu, J.: Structure and Properties of Self-Reinforced Polyethylene Prepared by Oscillating Packing Injection Molding Under Low Pressure, 1797
Gudeman, L. F.
—; Peppas, N. A.: Preparation and Characterization of pH-Sensitive, Interpenetrating Networks of Poly(vinyl alcohol) and Poly(acrylic acid), 919
Guest, M. J.
—; Van Daele, R.: Thermal Aging of Bisphenol-A Polycarbonate/ Acrylonitrile–Butadiene–Styrene Blends, 1417
Gugliotta, L. M.
—; Arzamendi, G.; Asua, J. M.: Choice of Monomer Partition Model in Mathematical Modeling of Emulsion Copolymerization Systems, 1017
—; See Barandiaran, M. J., 1231
Guo, H.-F.
—; Laxminarayan, A.; Caneba, G. T.; Solc, K.: Morphological Studies of Late-Stage Spinodal Decomposition in Polystyrene–Cyclohexanol System, 753
Gupta, D. C.
—; Deo, S. S.; Wast, D. V.; Raomore, S. S.; Gholap, D. H.: HTPB-Based Polyurethanes for Inhibition of Composite Propellants, 1151
Gupta, V. B.
—; Radhakrishnan, J.; Sett, S. K.: Effect of Process Parameters on Residual Stress Distribution in Poly(Ethylene Terephthalate) Fibers and

Films as Revealed by Chemical Etching, 247

Hadge, G. B. See Raj, S., 1861
Hamid, S. H.
—; Amin, M. B.: Lifetime Prediction of Polymers, 1385
Hao, S. See Liu, Z., 1733
Hara, H. See Tachino, H., 131
Hara, M. See Yun, K.-S., 343
Harwell, J. H. See Waddell, W. H., 1627
Hasegawa, M.
—; Akiho, Y.; Kanda, Y.: Mechanochemical Polymerization of Methyl Methacrylate Initiated by the Grinding of Inorganic Compounds, 297
Hashim, A. S. See Sando, K., 1137
Hassan, E. A. See Motawie, A. M., 1725
Hassan, S. M. See Abdel Hafiz, S. A., 997
Hatada, M. See Yoshizawa, I., 1643
Hatzikiriakos, S. G.
—; Hong, P.; Ho, W.; Stewart, C. W.: The Effect of Teflon® Coatings in Polyethylene Capillary Extrusion, 595
Hayakawa, H. See Kojima, T., 1855
He, F.
—; Omoto, M.; Yamamoto, T.; Kise, H.: Preparation of Polypyrrole–Polyurethane Composite Foam by Vapor Phase Oxidative Polymerization, 283
He, T. See Yang, Y., 627
He, W.
—; Tong, J.; Wang, M.; Pan, C.; Zhu, Q.: One-Stage Method of Preparing Core–Shell Particles, 667
Hebeish, A. See Abdel Hafiz, S. A., 997
Heino, M. See Kirjava, J., 1069
Hernandez-Sanchez, F. See Vera-Graziano, R., 1317
Hicke, H.-G. See Böhme, P., 1495; Ulbricht, M., 1707
Higuchi, A. See Yun, K.-S., 343
Hiltner, A. See Cheng, C., 1691; Elleithy, R. H., 1395
Hirano, M. See Mochizuki, M., 289
Hirasawa, E. See Tachino, H., 131
Hnatowicz, V.
—; Kvïtek, J.; Švorčík, V.; Rybka, V.; Popok, V.: Anomalous Diffusion of Iodine Ions into Polypropylene Implanted with F^+ and I^+ Ions, 451
Ho, W. See Hatzikiriakos, S. G., 595
Holmes, S. A.
—; Zeronian, S. H.: Surface Area of Aqueous Sodium Hydroxide-Hydrolyzed High-Speed Spun Poly(ethylene terephthalate) Fibers, 1573
Holsti-Miettinen, R. See Kirjava, J., 1069
Hong, L. See Ruckenstein, E., 1081
Hong, P. See Hatzikiriakos, S. G., 595
Hong, S. G.
—; Boerio, F. J.: Assimilation of Oil from Metal Surfaces by Epoxy Adhesives: XPS and ATR Analyses, 437
Hop, C. E. C. A. See Ying, T. H., 1537
Hotter, J. F. See Wu, G., 1275
Hourston, D. J. See Ali, S. A. M., 733
Hsiue, G. H. See Jeng, R. J., 209; Yang, J.-S., 653
Hsiung, C. M. See Ulcer, Y., 1241
Hsu, C. C. See Yang, C. B., 621
Hsu, H. See Chern, C. S., 571
Hu, R.
—; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Monodisperse Poly(butadiene/styrene) Particles by Dispersion Polymerization, 1411
Huang, B. See Tian, J., 741
Huang, H. H. See Deng, X. M., 1193; See Mauritz, K. A., 181
Huang, J. See Sun, J., 1865
Huang, J. M.
—; Kuo, J. F.; Chen, C. Y.: Studies on Mesomorphic Behaviors of Segmented Azoxy Polyester Containing Polyoxyethylene, 1217
Huang, M.-R.
—; Li, X.-G.; Chen, G.-W.: Bilayer Thin-Film Composite Membranes for Air Separation, 1145
Huang, M.-Z. See Gao, J.-P., 1291
Huang, Y.
—; Petermann, J.: Transcrystalline Growth of Thermoplastics and LCPs During Isothermal Crystallization, 981
—; See Li, X., 1779
Huang, Y.-J.
—; Su, C.-C.: Effects of Poly(vinyl acetate) and Poly(methyl methacrylate) Low-Profile Additives on the Curing of Unsaturated Polyester Resins. I. Curing Kinetics by DSC and FTIR, 305
—; Su, C.-C.: Effects of Poly(vinyl acetate) and Poly(methyl methacrylate) Low-Profile Additives on the Curing of Unsaturated Polyester Resins. II. Morphological Changes During Cure, 323
Hundiwale, D. G.
—; Kapadi, U. R.; Pandya, M. V.: Effect of Macroglycol Structure and Its Molecular Weight on Physicomechanical Properties of Polyurethanes, 1329
Hung, M.-H.
—; Burch, R. R.: Functionalization and Metallization of

Fluoropolymer Surfaces Through Reduction, 549
Hurndall, M. J.
—; Spies, H. S. C.; Sanderson, R. D.: Characterization of Copolymeric Poly(2-vinylimidazoline), 47

Ignatov, V. See Fiorini, M., 1157
Ikeda, Y. See Inagaki, N., 1451; Sando, K., 1137
Inagaki, N.
—; Tasaka, S.; Ikeda, Y.: Plasma Polymerization of Copper Phthalocyanines and Application of the Plasma Polymer Films to NO_2 Gas Sensor Device, 1451
Inoue, A.
—; Maniwa, S.: Electrorheological Effect of Liquid Crystalline Polymers, 113
Isayev, A. I.
—; Chan, T. W.; Gmerek, M.; Shimojo, K.: Injection Molding of Semicrystalline Polymers. II. Modeling and Experiments, 821
—; Chan, T. W.; Shimojo, K.; Gmerek, M.: Injection Molding of Semicrystalline Polymers. I. Material Characterization, 807
Isayev, A. I. See Viswanathan, R., 1117
Ishikawa, S.
Morphologies of Poly(Vinylcarbazole)-Polyisoprene Graft Copolymer and Blend, 125
Isono, Y. See Ohata, M., 517
Iwanami, K. See Nomura, T., 1307
Iyer, K. R. K. See Raj, S., 1861
Iyer, P. B. See Raj, S., 1861

Jančo, M.
—; Prudskova, T.; Berek, D.: Liquid Chromatography of Polymer Mixtures Applying Combination of Exclusion and Full Adsorption Mechanisms. I. Analysis of Polystyrene in its Mixture with Polymethylmethacrylate Single Column/Single Eluent Approach, 393
Jeng, R. J.
—; Hsiue, G. H.; Chen, J. I.; Marturunkakul, S.; Li, L.; Jiang, X. L.; Moody, R. A.; Masse, C. E.; Kumar, J.; Tripathy, S. K.: Low Loss Second-Order Nonlinear Optical Polymers Based on All Organic Sol-Gel Materials, 209
Ji, J. See Guan, Q., 1797
Jiang, X. L. See Jeng, R. J., 209
Jo, W. H. See Choi, G. D., 561
Jois, Y. H. R. See Lin, J. S., 655
Joseph, R. See Geethamma, V. G., 583
Jou, J.-H.
—; Yang, A.-K.; Chang, Y.-L.; Jou, J.-M.: General Formula for Bending Beam Determination of Case II Diffusion in Polymer-Containing Bilayer Structures, 1517
Jou, J.-M. See Jou, J.-H., 1517

Kafchinski, E. R. See Chung, T.-S., 839
Kai, Y. See Kojima, T., 1855
Kaito, A.
—; Kyotani, M.; Nakayama, K.: Effects of Shear Rate on the Molecular Orientation in Extruded Rods of a Thermotropic Liquid Crystalline Polymer (Note), 1489
Kaji, K. See Yoshizawa, I., 1643
Kakavas, P. A.
—; Chang, W. V.: An Extension of the Penalty Function Formulation to Incompressible Hyperelastic Solids Described by General Measure of Strain, 1051
Kamigaito, O. See Usuki, A., 119
Kanamori, T.
—; Sakai, K.; Fukuda, M.; Yamashita, Y.: Preferable Structure of Poly(ethylene glycol) for Grafting onto a Cellulosic Membrane to Increase Hemocompatibility Without Reduction in Solute Permeability of the Membrane, 1601
Kanda, Y. See Hasegawa, M., 297
Kanmuri, Y. See Mochizuki, M., 289
Kapadi, U. R. See Hundiwale, D. G., 1329
Karayannidis, G. P. See Kokkalas, D. E., 787
Kato, H. See Freddi, G., 481
Kausch, H.-H. See Plummer, C. J. G., 489
Kawabata, N. See Sando, K., 1137
Kawasumi, M. See Usuki, A., 119
Kawatsuki, N.
—; Ono, H.: Synthesis of Poly(benzylmethacrylate-*co*-perfluorooctylethylmethacrylate) and Electrooptical Properties of the Resultant Polymer/Liquid Crystal Composite Films, 911
Kee, D. D. See Xu, Y. Z., 779
Kelley, F. N. See Farriss, C. W., II, 935
Khait, K. See Ahn, D., 1431
Khamlichi, M. See Boutevin, B., 191
Kim, I. S. See Shimizu, Y., 255
Kim, S. H. See Choi, G. D., 561
Kiran, E. See Xiong, Y., 1805
Kirjava, J.
—; Rundqvist, T.; Holsti-Miettinen, R.; Heino, M.; Vainio, T.: Determination of Interfacial Tension Between PA/PP and LCP/PP by IFR Method and Effect of Compatibilization on Interfacial Tension, 1069
Kise, H. See He, F., 283

Kitano, K. See Nomura, T., 1307
Klemberg-Sapieha, J. E. See Poiré, E., 971
Kogan, G. See Machová, E., 699
Kohara, C. See Yoshizawa, I., 1643
Kohjiya, S. See Sando, K., 1137
Kohn, R. S. See Chung, T.-S., 839
Koiwai, A. See Usuki, A., 119
Kojima, T.
—; Hayakawa, H.; Tsuchiya, M.; Kai, Y.: Preparation of Polypyrrole/Polythiophene Double Layers by Electrochemical Polymerization of Pyrrole in the Presence of Thiophene, 1855
Kojima, Y. See Usuki, A., 119
Kokkalas, D. E.
—; Bikiaris, D. N.; Karayannidis, G. P.: Effect of the Sb_2O_3 Catalyst on the Solid-State Postpolycondensation of Poly(ethylene terephthalate), 787
Kono, K. See Shimizu, Y., 255; Yoon, N. S., 351
Kostov, G. K.
—; Nikolov, AL. T.: Study of Radical Copolymerization of Tetrafluoroethylene with Ethylene in Bulk, 1529
Kovriga, O. V. See Askadskii, A. A., 1173
Kozlowski, M.
Structure and Mechanical Properties of Heterogeneous Polymer Blends, 1375
Kudo, K. See Mochizuki, M., 289
Kumar, J. See Jeng, R. J., 209
Kumar, P. See Sen, K., 857
Kundu, S. K.
—; Ray, P. K.; Sen, S. K.; Bhaduri, S. K.: Structure and Physical Properties of Grafted Jute Fiber, 543
Künzler, J.
—; Ozark, R.: Hydrogels Based on Hydrophilic Side-Chain Siloxanes, 611
Kuo, J. F. See Huang, J. M., 1217
Kurauchi, T. See Usuki, A., 119
Kutsumizu, S. See Tachino, H., 131
Kutyła, R. See Matynia, T., 1583
Kvïtek, J. See Hnatowicz, V., 451
Kwak, S.-Y.
Structural Changes of PVC Plastisols in Progress of Gelation and Fusion as Investigated with Temperature-Dependent Viscoelasticity, Morphology, and Light Scattering, 1683
Kyotani, M. See Kaito, A., 1489
Kyriazi, E. See Sideridis, E., 1367

La Mantia, F. P. See Magagnini, P. L., 461
Lai, C.-C. See Lee, W.-F., 1197
Lai, J.-Y. See Chen, S.-H., 1353
Lamela, C. P. See Pellín M. P., 225
Laref, F. H.
—; Mouzali, M.: Adhesive Properties of DGEBA–Acid Homopolymer and DGEBA–Acid Copolymer Systems, 1405
Laurienzo, P. See Aslan, S., 57
Laxminarayan, A. See Guo, H.-F., 753
Lazar, M. See Pavlinec, J., 39
Lee, S.-C.
—; Sze, Y.-W.; Lin, C.-C.: Polyurethanes Synthesized from Polyester Polyols Derived from PET Waste. III. Mechanical Properties (Note), 1271
Lee, S. Y. See Yeo, Y. T., 1651
Lee, W.-F.
—; Lai, C.-C.: Studies on Graft Copolymerization of Glycidyl Methacrylate onto Poly(vinyl chloride) and Curing Behavior of Its Grafted Copolymer, 1197
Lehmann, C. See Ulbricht, M., 1707
Levi, M.
—; Turri, S.: Fractionation of Reactive Perfluoro-polyoxyalkylene Oligomers, 989
Li, B. See Yang, Y., 633
Li, B.-F. See Yu, Z.-Z., 1209
Li, B.-G. See Yu, Z.-Z., 1209
Li, C.-H.
—; Chen, C. C.; Chen, K.-M.; Chang, T.-C.: Studies on the Synthesis and Properties of Soluble Homo- and Copolyester–Imide derived from Imide–Diacid, 747
Li, H. See Ruckenstein, E., 961
Li, J. D. See Choi, H.-M., 375
Li, L. See Jeng, R. J., 209
Li, X.
—; Yan, C.; Huang, Y.; Xiao, J.: pH Responsive PAlAm-*g*-PIPA Microspheres: Preparation and Drug Release, 1779
Li, X.-G. See Huang, M.-R., 1145
Li, Z. See Zhu, P., 1111
Li, Z.-C. See Gao, J.-P., 1291
Liang, S. See Poiré, E., 971
Lin, C.-C. See Lee, S.-C., 1271
Lin, J. S.
—; Sheu, Y.; Jois, Y. H. R.: The Effect of Extruder Temperature and Maleated Polypropylene on Polypropylene/Nylon-6,6 Blend: A Small Angle X-ray Study, 655
Lin, L.
—; Yoshioka, M.; Yao, Y.; Shiraishi, N.: Physical Properties of Moldings from the Liquefied Wood Resins, 1563
Lin, M.-S.
—; Chang, R.-J.; Yang, T.; Shih, Y.-F.: Kinetic Study on Simultaneous Interpenetrating Polymer Network Formation of

Epoxy Resin and Unsaturated Polyester, 1607
Lin, M.-T. See Liu, J.-H., 1441
Lin, S. See Zhou, C., 641
Lin, X. See Tian, J., 741
Liu, J.-H.
—; Chung, Y.-C.; Lin, M.-T.: Preparation of Amphiphilic Membranes Using Photosensitive Polymers and Their Applications on the Enzyme Electrode, 1441
Liu, Z.
—; Lu, H.; Hao, S.; Wen, X.; Du, Z.: Synthesis and Characterization of (3,4-Difuryl-2,5-dimethyl) Phenyl–Polyvinyl Silicon Oils, 1733
Lockhart, T. P. See Albonico, P., 69
Löfgren, A.
—; Renstad, R.; Albertsson, A.-C.: Synthesis and Characterization of a New Degradable Thermoplastic Elastomer based on 1,5-Dioxepan-2-one and ε-Caprolactone, 1589
Lopez, R.
—; Sanchez, V.; Fucugauchi, L. A.; Otsuhata, K.; Tabata, Y.: Graft Copolymerization of Dimethylacrylamide onto AFLAS, 279
López De Arbina, L. See Barandiaran, M. J., 1231
Losada, P. P. See Pellín, M. P., 225, 1507
Lu, H. See Liu, Z., 1733
Luca, C. See Drăgan, S., 421
Luo, X. See Zhang, R., 455

Ma, Đ. See Zhang, R., 455
MacDonald, J. A. See Poiré, E., 971
Machová, E.
—; Kogan, G.; Alföldi, J.; Šoltés, L.; Šandula, J.: Enzymatic and Ultrasonic Depolymerization of Carboxymethylated β-1,3-D-Glucans Derived from *Saccharomyces cerevisiae*, 699
Magagnini, P. L.
—; Paci, M.; La Mantia, F. P.; Surkova, I. N.; Vasnev, V. A.: Morphology and Rheology of Polysulfone/Vectra-A950 Blends, 461
Mahmood, T. See Choi, H.-M., 375
Makuuchi, K. See Darwis, D., 1619
Malinconico, M. See Aslan, S., 57
Mallon, P. E.
—; McGill, W. J.; Shillington, D. P.: A DSC Study of the Crosslinking of Polychloroprene with ZnO and MgO, 705
Mandal, U. K.
—; Tripathy, D. K.; De, S. K.: Effect of Silica Filler on Dynamic Mechanical Properties of Ionic Elastomer Based on Carboxylated Nitrile Rubber, 1185
Manieh, A. A. See Motawie, A. M., 1725
Maniwa, S. See Inoue, A., 113
Manzoor, K. See Ali, S. A. M., 733
Martin, S. J. See Cutié, S. S., 605
Martinu, L. See Poiré, E., 971
Marturunkakul, S. See Jeng, R. J., 209
Martuscelli, E. See Aslan, S., 57
Maschio, G. See Scali, C., 945
Mascia, L.
—; Zhang, J.: Matrix–Size Interactions in Epoxy–Glass Fibers Composites in Relation to Mechanical Relaxations and Effects of Thermal Aging, 1771
Masse, C. E. See Jeng, R. J., 209
Mathew, N. M. See Nair, N. R., 723
Matynia, T.
—; Kutyła, R.; Bukat, K.; Pieńkowska, B.: The Properties of Soldering Mask Hardened by Means of UV Using Acrylate and Methacrylate Oligomers, 1583
Mauritz, K. A.
—; Stefanithis, I. D.; Davis, S. V.; Scheetz, R. W.; Pope, R. K.; Wilkes, G. L.; Huang, H.-H.: Microstructural Evolution of a Silicon Oxide Phase in a Perfluorosulfonic Acid Ionomer by an *In Situ* Sol–Gel Reaction, 181
McCullough, R. L. See Varelidis, P. C., 1101
McGill, W. J. See Geyser, M., 215; Mallon, P. E., 705
Mehrotra, K. N.
—; Chauhan, M.; Shukla, R. K.: Investigations into the Micellization and Conductance Behavior of Cerium Soaps in a Benzene-DMF Mixture, 431
Meikleham, N. See Pizzi, A., 929, 1265
Menu, P. See Plummer, C. J. G., 489
Mitra, B. C. See Sikdar, B., 1673
Mitra, N. C.
—; Banerjee, R. S.; Sarkar, A.: Studies on Applications of Natural Polyphenol-Phenol-Formaldehyde Copolymer Based Cation Exchange Resins, 407
Mitsuoka, T. See Torikai, A., 1703
Miyata, N.
—; Yokoyama, M.; Sakata, I.: Properties of Highly Water-Absorptive Hydroxyethylcellulose Graft Copolymers: Viscoelasticity and Moisture Sorption, 201
Mochizuki, M.
—; Hirano, M.; Kanmuri, Y.; Kudo, K.; Tokiwa, Y.: Hydrolysis of Polycaprolactone Fibers by Lipase: Effects of Draw Ratio on Enzymatic Degradation, 289
Monchanin, M. See Xu, X. L., 99

Mondragon, I. See Sanz, G., 75
Moody, R. A. See Jeng, R. J., 209
Motawie, A. M.
—; Hassan, E. A.; Manieh, A. A.; Aboul-Fetouh, M. E.; Fakhr El-Din, A.: Some Epoxidized Polyurethane and Polyester Resins Based on Linseed Oil, 1725
Moussa, K. See Decker, C., 359
Mouzali, M. See Laref, F. H., 1405
Muzafarov, A. M. See Gorelova, M. M., 1131
Mylonakis, S. G. See Cheng, C., 1691

Nair, N. R.
—; Claramma, N. M.; Mathew, N. M.; Thomas, S.; Rao, S. S.: Flow Properties of Thermally Depolymerized Liquid Natural Rubber, 723
Nakagawa, T. See Yun, K.-S., 343
Nakayama, K. See Kaito, A., 1489
Nam, S. See Gang, H.-G., 1465
Nando, G. B. See Bhattacharya, A. K., 1747
Neogi, S.
—; Sampson, K. J.: Direct Use of Mixing Data for Modeling High-Viscosity, Melt-Phase, Condensation Polymer Reactors, 761
Nguyen, M. N. See Bohm, G. G. A., 1041
Nikolov, AL. T. See Kostov, G. K., 1529
Nishio, T. See Nomura, T., 1307
Nomura, T.
—; Nishio, T.; Iwanami, K.; Yokomizo, K.; Kitano, K.; Toki, S.: Characterization of Microstructure and Fracture Behavior of Polypropylene/Elastomer Blends Containing Small Crystal in Elastomeric Phase, 1307
Ntsihlele, E. S.
—; Pizzi, A.: Cross-Linked Coatings by Co-reaction of Isocyanate–methoxymethyl Melamine Systems, 153

Oechel, A. See Ulbricht, M., 1707
Ohata, M.
—; Yamamoto, M.; Isono, Y.: Preparation and Characterization of End-Alkoxysilylated Polystyrene and the Grafting Behaviors onto Inorganic Pigments. I. Utilization of 4-Isopropoxydimethylsilyl-α-methylstyrene, 517
O'Haver, J. See Waddell, W. H., 1627
Okada, A. See Usuki, A., 119
Okaya, T. See Yamauchi, J., 1553
Omoto, M. See He, F., 283
Ono, H. See Kawatsuki, N., 911
Orton, M. L. See Elleithy, R. H., 1395
Otsuhata, K. See Lopez, R., 279
Ozark, R. See Künzler, J., 611

Paci, M. See Magagnini, P. L., 461
Pan, C. See He, W., 667
Panamgama, L. A.
—; Pizzi, A.: A ^{13}C-NMR Analysis Method for Phenol-Formaldehyde Resin Strength and Formaldehyde Emission, 1007
Pandya, M. V. See Hundiwale, D. G., 1329
Pankratov, V. A. See Askadskii, A. A., 1173
Papaspyrides, C. D. See Varelidis, P. C., 1101
Pavlinec, J.
—; Lazar, M.: Cross-linking of Poly(methyl methacrylate) by Aminolysis of Ester Functions with Diamines, 39
Pellín, M. P.
—; Regueira, L. N.; Gándara, J. S.; Losada, P. P.; Lamela, C. P.; Abuín, S. P.: Epoxy Resins Based on Trimethylolpropane. I. Determination of Chemical Structures, 225
—; Regueira, L. N.; Quintela, A. L.; Losada, P. P.; Gándara, J. S.; Abuín, S. P.: Epoxy Resins Based on Trimethylolpropane. II. Kinetic and Thermodynamic Parameters of Cure with *m*-XDA, 1507
Peppas, N. A. See Gudeman, L. F., 919
Pertsin, A. J. See Gorelova, M. M., 1131
Petermann, J. See Huang, Y., 981
Petrich, M. A. See Ahn, D., 1431
Phayde, H. T. S. See Aminabhavi, T. M., 1335
Phayde, T. S. See Aminabhavi, T. M., 17
Phillips, J. C.
Creep/Recovery Behavior of Open-Cell Foams, 527
Pieńkowska, B. See Matynia, T., 1583
Pietrasanta, Y. See Boutevin, B., 191
Pilati, F. See Fiorini, M., 1157
Pizzi, A.
—; Meikleham, N.: Induced Accelerated Autocondensation of Polyflavonoid Tannins for Phenolic Polycondensates. III. CP-MAS ^{13}C-NMR of Different Tannins and Models (Note), 1265
—; Meikleham, N.; Stephanou, A.: Induced Accelerated Autocondensation of Polyflavonoid Tannins for Phenolic Polycondensates. II. Cellulose Effect and Application, 929
Pizzi, A. See Ntsihlele, E. S., 153; Panamgama, L. A., 1007; Thompson, D., 107
Plummer, C. J. G.
—; Menu, P.; Cudré-Mauroux, N.; Kausch, H.-H.: The Effect of Crystallization Conditions on the

Properties of Polyoxymethylene, 489
Poh, B. T.
—; Tang, W. L.: Concentration Effect of Stearic Acid on Scorch Behavior of Epoxidized Natural Rubber, 537
Poinescu, IG. See Drăgan, S., 421
Poiré, E.
—; Klemberg-Sapieha, J. E.; Martinu, L.; Wertheimer, M. R.; Liang, S.; Barton, S. S.; MacDonald, J. A.: Erratum to "Modification of Active Carbon by Hydrophobic Plasma Polymers", 971
Pope, R. K. See Mauritz, K. A., 181
Popok, V. See Hnatowicz, V., 451
Pota, F. See Aslan, S., 57
Prudskova, T. See Jančo, M., 393

Quddos, A. See Zulfiqar, M., 1301
Quintela, A. L. See Pellín, M. P., 1507

Radhakrishnan, J. See Gupta, V. B., 247
Raj, S.
—; Hadge, G. B.; Iyer, P. B.; Iyer, K. R. K.: A Quantitative Evaluation of NaOH Swelling and Its Effect on Maturity of Cotton Fibers (Note), 1861
Rajulu, A. V. See Askadskii, A. A., 1173
Rao, S. S. See Nair, N. R., 723
Raomore, S. S. See Gupta, D. C., 1151
Ray, P. K. See Kundu, S. K., 543
Razzak, M. T. See Darwis, D., 1619
Regueira, L. N. See Pellín, M. P., 225, 1507
Rejikumar, S.
—; Devi, S.: Immobilization of β-Galactosidase onto Polymeric Supports, 871
Renstad, R. See Löfgren, A., 1589
Rhim, M. S. See Choi, G. D., 561
Robin, J. J. See Boutevin, B., 191
Rodriguez, A. S.
—; Flores, R. Ma. E.: Applications of Computer Difference Spectroscopy in Ion-Exchange Resins Analysis, 675
Rossbach, V. See Van Luyen, D., 679
Roychoudhury, A.
—; De, P. P.: Elastomer–Carbon Black Interaction: Influence of Elastomer Chemical Structure and Carbon Black Surface Chemistry on Bound Rubber Formation, 9
Ruckenstein, E.
—; Hong, L.: Coating Water-Swellable Polymer Latexes by Interfacial Polymerization, 1081
—; Li, H.: Semiinterpenetrating Polymer Network Latexes via Concentrated Emulsion Polymerization, 961
Rundqvist, T. See Kirjava, J., 1069
Russo, R. See Canevarolo, S. V., 387
Rybka, V. See Hnatowicz, V., 451

Sahan, M. See Solpan, D., 383
Sakai, K. See Kanamori, T., 1601
Sakata, I. See Miyata, N., 201
Sampson, K. J. See Neogi, S., 761
Sanchez, V. See Lopez, R., 279
Sanderson, R. D.
—; Schneider, D. F.; Schreuder, I.: Synthesis of Difuran Diesters from Furfural, and Their Evaluation as Plasticizers for Polyvinyl Chloride, 1837
—; See Hurndall, M. J., 47
Sando, K.
—; Hashim, A. S.; Ikeda, Y.; Kohjiya, S.; Yamashita, S.; Kawabata, N.: Vulcanization of 1-Chlorobutadiene-Butadiene Rubber with Diepoxy Compound, 1137
Šandula, J. See Machová, E., 699
Santra, R. N. See Bhattacharya, A. K., 1747
Sanz, G.
—; Garmendia, J.; Andres, M. A.; Mondragon, I.: Dependence of Dynamic Mechanical Behavior of DGEBA/DDM Stoichiometric Epoxy Systems on the Conditions of Curing Process, 75
Sarkar, A. See Mitra, N. C., 407
Sarmadi, A. M. See Ying, T. H., 1537
Sato, T. See Yamauchi, J., 1553
Scali, C.
—; Ciari, R.; Bello, T.; Maschio, G.: Optimal Temperature for the Control of the Product Quality in Batch Polymerization: Simulation and Experimental Results, 945
Scheetz, R. W. See Mauritz, K. A., 181
Schlup, J. See Choi, H.-M., 375
Schmidt, H.-W. See Skrifvars, M., 1787
Schneider, D. F. See Sanderson, R. D., 1837
Schreuder, I. See Sanderson, R. D., 1837
Sen, K.
—; Kumar, P.: Influence of Gamma-Irradiation on Structural and Mechanical Properties of Polypropylene Yarn, 857
Sen, S. K. See Kundu, S. K., 543
Sett, S. K. See Gupta, V. B., 247
Sfyrakis, J.
—; Faliagas, A.; Simitzis, J.: Influence of Pyrolysis Temperature on the

Adsorptive Properties of Adsorbents Produced from Novolac and Biomass, 1739
Sharma, A.
—; Sundaram, S. T.; Zhang, Y.-Z.; Brodman, B. W.: Biodegradation of Nitrate Esters. 2. Degradation of Nitrocellulose by a Fungus Isolated from a Double-Base Propellant, 1847
Shen, K. See Guan, Q., 1797
Sheu, Y. See Lin, J. S., 655
Shih, Y.-F. See Lin, M.-S., 1607
Shillington, D. P. See Mallon, P. E., 705
Shimada, S. See Yun, K.-S., 343
Shimizu, Y.
—; Kono, K.; Kim, I. S.; Takagishi, T.: Effects of Added Metal Ions on the Interaction of Chitin and Partially Deacetylated Chitin with an Azo Dye Carrying Hydroxyl Groups, 255
Shimojo, K. See Isayev, A. I., 807, 821
Shiozaki, H. See Freddi, G., 481
Shiraishi, N. See Lin, L., 1563
Shukla, R. K. See Mehrotra, K. N., 431
Shvorak, A. E. See Askadskii, A. A., 1173
Sideridis, E.
—; Kyriazi, E.: In Plane Shearing Stress–Strain Response of Glass Fiber Reinforced Composites as Determined from Four Point Bending Tests, 1367
Sikdar, B.
—; Basak, R. K.; Mitra, B. C.: Studies on Graft Copolymerization of Acrylonitrile onto Jute Fiber with Permanganate Ion Initiation System in Presence of Air, 1673
Simitzis, J.
—; Fountas, D.: Utilization of Wastes of Foam Polystyrene as Sorbents, 879
—; See Sfyrakis, J., 1739
Skourlis, T. P. See Varelidis, P. C., 1101
Skrifvars, M.
—; Schmidt, H.-W.: Unsaturated *Para*-Linked Aromatic LC Polyesters: Thermotropic and Lyotropic Systems, 1787
Smid, J. See Chatterjee, G., 851
Solc, K. See Guo, H.-F., 753
Solpan, D.
—; Sahan, M.: Concentration and Separation of Aqueous Solutions of Cu^{2+}, Ni^{2+}, Fe^{3+} by Dextran, 383
Šoltés, L. See Machová, E., 699
Soskey, P. R. See Cheng, C., 1691
Spies, H. S. C. See Hurndall, M. J., 47
Spiter, P. See Ghorbel, I., 163
Spiteri, P. See Ghorbel, I., 173
Stefanithis, I. D. See Mauritz, K. A., 181
Stephanou, A. See Pizzi, A., 929
Stewart, C. W. See Hatzikiriakos, S. G., 595
Straff, R. S. See Chung, T.-S., 839
Su, C.-C. See Huang, Y.-J., 305, 323
Subramaniam, V.
—; Thambidurai, S.: Tensile Properties of Chemically Modified Ring- and Rotor-Spun Cotton Yarns, 973
Sudol, E. D. See Hu, R., 1411
Sun, J.
—; Huang, J.; Zhang, J.; Zheng, S.: The Synthesis of Epoxide Resin with Alkylaminopyridine Functions (Note), 1865
Sundaram, S. T. See Sharma, A., 1847
Surkova, I. N. See Magagnini, P. L., 461
Suto, S.
—; Suzuki, K.: Crosslinked Hydroxypropyl Cellulose Films Retaining Cholesteric Liquid Crystalline Order. I. Effects of Cast Conditions and Heat Treatment on the Textures and Order of Films, 139
Suzuki, K. See Suto, S., 139
Švorčík, V. See Hnatowicz, V., 451
Sze, Y.-W. See Lee, S.-C., 1271

Tabata, Y. See Lopez, R., 279
Tachino, H.
—; Hara, H.; Hirasawa, E.; Kutsumizu, S.; Yano, S.: Water Absorption Effects on the Thermal Transition and Stiffness of Ethylene Ionomers, 131
Tak, T.-M. See Yun, K.-S., 343
Takagishi, T. See Shimizu, Y., 255; Yoon, N. S., 351
Tang, W. L. See Poh, B. T., 537
Tasaka, S. See Inagaki, N., 1451
Tavares, M. I. B.
—; Castro, W. P.; Costa, D. A.: Study of Nylon 6 and Poly(propylene Oxide) Blends by Thermal Measurements and Carbon-13 NMR High Resolution Solid-State, 1165
Terada, K. See Yamauchi, J., 1553
Terbojevich, M.
—; Cosani, A.; Camilot, M.; Focher, B.: Solution Studies of Cellulose Tricarbanilates Obtained in Homogeneous Phase, 1663
Thambidurai, S. See Subramaniam, V., 973
Thomas, S. See Geethamma, V. G., 583; Nair, N. R., 723
Thominette, F. See Ghorbel, I., 163, 173
Thompson, D.
—; Pizzi, A.: Simple ^{13}C NMR Methods for Quantitative Determinations of Polyflavonoid Tannin Characteristics, 107
Tian, J.
—; Lin, X.; Xu, J.; Huang, B.: A Differential Scanning Calorimetry Study of

Plasma Irradiation Grafting of Nascent Polyethylene Reactor Powder, 741
Tikku, V. K. See Bhattacharya, A. K., 1747
Tinçer, T. See Akin-Öktem, G., 1093
Toki, S. See Nomura, T., 1307
Tokiwa, Y. See Mochizuki, M., 289
Tomaschewski, G. See Ulbricht, M., 1707
Tong, J. See He, W., 667
Torikai, A.
—; Mitsuoka, T.: Electron Spin Resonance Studies of Poly(methyl methacrylate) Irradiated with Monochromatic Light (Note), 1703
Toselli, M. See Fiorini, M., 1157
Tripathy, D. K. See Mandal, U. K., 1185
Tripathy, S. K. See Jeng, R. J., 209
Tsuchiya, M. See Kojima, T., 1855
Tsukada, M. See Freddi, G., 481
Tucker, P. A. See Wu, G., 1275
Turri, S. See Levi, M., 989

Ugbolue, S. C. O.
—; Uzomah, T. C.: Some Mechanical Properties of Solvent-Treated Polypropylene Films, 1
Ulbricht, M.
—; Oechel, A.; Lehmann, C.; Tomaschewski, G.; Hicke, H.-G.: Gas-Phase Photoinduced Graft Polymerization of Acrylic Acid onto Polyacrylonitrile Ultrafiltration Membranes, 1707
—; See Böhme, P., 1495
Ulcer, Y.
—; Cakmak, M.; Hsiung, C. M.: Effect of Processing Conditions on the Structure Development in the Welding Region of Injection-Molded Poly(Arylene Ether Ketone). III, 1241
Usuki, A.
—; Koiwai, A.; Kojima, Y.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O.: Interaction of Nylon 6-Clay Surface and Mechanical Properties of Nylon 6-Clay Hybrid, 119
Uzomah, T. C. See Ugbolue, S. C. O., 1

Vainio, T. See Kirjava, J., 1069
Van Daele, R. See Guest, M. J., 1417
Van Luyen, D.
—; Rossbach, V.: Mixed Esters of Chitin, 679
Varelidis, P. C.
—; Skourlis, T. P.; Bletsos, J. V.; McCullough, R. L.; Papaspyrides, C. D.: Characterization of Coatings of Poly(Hexamethylene Adipamide) Deposited on Carbon Fibers by Interfacial Polymerization Techniques, 1101
Vasilenko, N. G. See Gorelova, M. M., 1131
Vasnev, V. A. See Magagnini, P. L., 461
Vera-Graziano, R.
—; Hernandez-Sanchez, F.; Cauich-Rodriguez, J. V.: Study of Crosslinking Density in Polydimethylsiloxane Networks by DSC, 1317
Verdu, J. See Ghorbel, I., 163, 173
Viswanathan, R.
—; Isayev, A. I.: Blends of a PPO–PS Alloy with a Liquid Crystalline Polymer, 1117
Von Meerwall, E. See Farriss, C. W., II, 935

Waddell, W. H.
—; O'Haver, J.; Evans, L. R.; Harwell, J. H.: Organic Polymer-Surface Modified Precipitated Silica, 1627
Wan, M.
—; Yang, J.: Mechanism of Proton Doping in Polyaniline, 399
Wang, L. See Zhu, P., 1111
Wang, M. See He, W., 667
Wang, Q. See Zhu, P., 1111
Wang, T. F.
—; Yasuda, H. K.: Modification of Wettability of a Stainless-Steel Plate by Cathodic Plasma Polymerization of Trimethylsilane–Oxygen Mixtures, 903
Wast, D. V. See Gupta, D. C., 1151
Watkins, R. See Zhao, X., 773
Wen, X. See Liu, Z., 1733
Wertheimer, M. R. See Poiré, E., 971
Wilkes, G. L. See Mauritz, K. A., 181
Williams, D. F. See Ali, S. A. M., 733
Williams, R. J. J. See Galante, M. J., 89
Wong, F. C.
—; Ait-Kadi, A.: Mechanical Behavior of Particulate Composites: Experiments and Micromechanical Predictions, 263
Wu, G.
—; Zhou, Q.; Chen, J.-Y.; Hotter, J. F.; Tucker, P. A.; Cuculo, J. A.: The Effect of a Liquid Isothermal Bath in the Threadline on the Structure and Properties of Poly(ethylene terephthalate) Fibers, 1275

Xiao, J. See Li, X., 1779
Xiong, C. D.
—; Cheng, L. M.; Xu, R. P.; Deng, X. M.: Synthesis and Characterization of Block Copolymers from

D,L-Lactide and Poly(tetramethylene ether glycol), 865
—; See Deng, X. M., 1193
Xiong, Y.
—; Kiran, E.: Comparison of Sanchez–Lacombe and SAFT Model in Predicting Solubility of Polyethylene in High-Pressure Fluids, 1805
Xu, J. See Tian, J., 741
Xu, R. P. See Deng, X. M., 1193; Xiong, C. D., 865
Xu, X. L.
—; Dolveck, J. Y.; Boiteux, G.; Escoubes, M.; Monchanin, M.; Dupin, J. P.; Davenas, J.: Ion Beam Irradiation Effect on Gas Permeation Properties of Polyimides Films, 99
Xu, Y. Z.
—; Kee, D. D.; Chan Man Fong, C. F.: Large Transient Shearing of Molten Polymers: Predictions of Rate-Dependent and Nonaffine Network Models, 779

Yamamoto, M. See Ohata, M., 517
Yamamoto, T. See He, F., 283
Yamashita, S. See Sando, K., 1137
Yamashita, Y. See Kanamori, T., 1601
Yamauchi, J.
—; Terada, K.; Sato, T.; Okaya, T.: Application of Poly(Vinyl Alcohol) with an Alkyl End Group Containing Anionic Groups to Coal-Water Slurry as a Dispersant, 1553
Yan, C. See Li, X., 1779
Yang, A.-K. See Jou, J.-H., 1517
Yang, B. See Zhuang, Y., 1063
Yang, C. B.
—; Hsu, C. C.: Performance Improvement of $MgCl_2$/Dioctylphthalate/$TiCl_4$ Catalyst in Propene Polymerization by Employing External Base Pair, 621
Yang, H. W. H.
Water-Based Polymers As Pressure-Sensitive Adhesives—Viscoelastic Guidelines, 645
Yang, J. See Wan, M., 399
Yang, J.-S.
—; Hsiue, G.-H.: Graft Polymerization of Acrylic Acid onto Silicone Rubber Film by Preirradiation Method (Note), 653
Yang, T. See Lin, M.-S., 1607
Yang, Y.
—; He, T.; Yu, F.: The Fracture Behavior of Phenolphthalein Polyether–Ether Ketone at Elevated Temperature for Long Terms, 627
—; Li, B.; Zhang, Y.; Zhang, Y.; Zhuang, G.: Thermal and Mechanical Properties of Phenolphthalein Polyethersulfone/Poly(phenylene sulfide) Blends, 633
Yano, S. See Tachino, H., 131
Yao, Y. See Lin, L., 1563
Yasmin, S. See Bhat, N. V., 1827
Yasuda, H. K. See Wang, T. F., 903
Yen, C.-C. See Chang, L.-T., 371
Yeo, Y. T.
—; Lee, S. Y.; Goh, S. H.: Miscibility and Complexation Behavior of Poly(cyanomethyl methacrylate) and Poly(2-cyanoethyl methacrylate) with Tertiary Amide Polymers, 1651
Ying, T. H.
—; Sarmadi, A. M.; Hop, C. E. C. A.; Denes, F.: Structure and Properties of Tin-Containing Polymers Deposited from Tetramethyltin HF-Plasma, 1537
Yokomizo, K. See Nomura, T., 1307
Yokoyama, M. See Miyata, N., 201
Yoon, N. S.
—; Kono, K.; Takagishi, T.: Permeability Control of Poly(methacrylic acid)–Poly(ethylenimine) Complex Capsule Membrane Responding to External pH, 351
Yoshii, F. See Darwis, D., 1619
Yoshioka, M. See Lin, L., 1563
Yoshizawa, I.
—; Kohara, C.; Kaji, K.; Hatada, M.: Polymerization of Phosphor-Containing Oligomer Induced by Electron-Beam Irradiation, 1643
Yu, F. See Yang, Y., 627
Yu, Z.-Z.
—; Li, B.-G.; Cai, M.-J.; Li, B.-F.; Cao, K.: Emulsion Polymerization of Methyl Methacrylate in Concentrations of Emulsifiers Below Their CMCs—Polymerization Rate, Particle Size, and Particle-Size Distribution, 1209
Yun, K.-S.
—; Tak, T.-M.; Shimada, S.; Nakagawa, T.; Hara, M.; Higuchi, A.: Recognition of Amino Acids by Membrane Potential of Immobilized Globulin Membranes, 343

Zeronian, S. H. See Holmes, S. A., 1573
Zhang, J. See Mascia, L., 1771; Sun, J., 1865
Zhang, R.
—; Luo, X.; Ma, D.: Miscibility and Transesterification in

Bisphenol-A Polycarbonate/Ethylene Terephthalate-Caprolactone Copolyester Blends, 455
Zhang, Y. See Yang, Y., 633
Zhang, Y.-Z. See Sharma, A., 1847
Zhao, X.
—; Watkins, R.; Barton, S. W.: Strategies for Supercritical CO_2 Fractionation of Polydimethylsiloxane, 773
Zheng, S. See Sun, J., 1865
Zhou, C.
—; Lin, S.: A New Copolymerization Equation, 641
Zhou, Q. See Wu, G., 1275
Zhu, J. See Guan, Q., 1797
Zhu, P.
—; Li, Z.; Feng, W.; Wang, Q.; Wang, L.: Preparation and Characterization of Negative Photosensitive Polysiloxaneimide, 1111
Zhu, Q. See He, W., 667
Zhu, Z. See Zhuang, Y., 1063
Zhuang, G. See Yang, Y., 633
Zhuang, Y.
—; Zhu, Z.; Chao, H.; Yang, B.: Effect of Added Salt on Properties of Aqueous SMP Solution, 1063
Zulfiqar, M.
—; Quddos, A.; Zulfiqar, S.: Release of Radioactive Steroids From Dried Down Hydrogels Of Polyurethane Networks, 1301
Zulfiqar, S. See Zulfiqar, M., 1301

Journal of Applied Polymer Science

Subject Index to Volume 55

Activation energy, 1507
Activation enthalpy, 1507
Activation entropy, 1507
Adhesion, 561
Adhesion energy, 263
Adhesives, 1405
Adsorption, 1739
Affinity separation, 793
Aging, 1417
Air separation, 1145
Alkylaminopyridine compounds, 1865
Aluminum complex catalyst, 1193
Amino acids, 343
Aminolysis, of PMMA ester groups, 39
Amphiphiles, 1495
Amphiphilic membranes, 1441
Anderson–Farris model, 263
Annealing, 1041
Aromatic compounds, 421
Aromatic polyimides, 747
Association, 431
As-spun fibers, 1275
Attenuated total reflection (ATR)-FTIR spectroscopy, 1489
Attenuated total reflection infrared spectroscopy (ATR), 437
Autocondensation, 929
Automotive coating systems, 153
Avrami analysis, 233

B. mori silk, dyeability, 481
Batch polymerization, 945
Batch polymerization reactor, 1361
Bending beam determination, 1517
Bilayer composite membranes, 1145
Biomedical applications, 733
Birefringence, 1275
Birefringence development, 1757
Blends, 57, 125, 191, 233, 387, 455, 461, 561, 633, 655, 733, 841, 889, 1117, 1165, 1307, 1335, 1375, 1417, 1431, 1747
Block copolymerization, 1193
Block copolymers, 191, 865
Blood compatibility, of commercial plastics and elastomers, 279
Bound rubber formation, 9
Breaking elongation, 857
Brunauer–Emmett–Teller equation, 201

C-gums, 1733
^{13}C NMR methods, 107
^{13}C-NMR peak ratios, 1007
^{13}C-NMR spectroscopy, 47
Capillary extrusion, 595
Capsule membranes, 351
Carbodiimde catalysis, 375
Carbon black flocculation, 1041
Carbon fibril additives, 935
Carboxylated nitrile rubber (XNBR), 1185
Case II diffusion, 1517
Cast solutions, 139
Casting from solution, 1495
Cathodic plasma polymerization, 903
Cation exchange resins, 407
Cavitation, 1691
Cellulose cross-linking, 375
Cerium soaps, 431
Charpy method, 1093
Chemical etching, 247
Chemical grafting, 1353
Chemical treatment, of cotton yarns, 973
Chitin, 255, 679
Chrome violet binding, 255
Coal-water slurry (CWM), 1553
Coatings, 153, 1101, 1477, 1725
Coir fiber, 583
Cold-rolled steel (CRS) surface, 437
Color image processing, 687
Column chromatographic separation, 989
Column packing, 393
Commercial absorbents, 201
Compact tension specimens, 489
Compatibilizers, 655, 1069
Complexation behavior, 1651
Composite foam, conductivity, 283
Composite propellants, 1151
Composites, 263, 583, 733, 935, 1093, 1367, 1771, 1827
Compound resonance, 1329
Compounding, 705
Compression, 489
Computer difference spectroscopy, 675
Concentrated emulsion polymerization, 961
Condensation polymers, 761
Conductive films, 371
Conductive organic polymers, 1855
Conductivity, of composite foam, 283
Conductivity, of metallized films, 371
Copolymer composition, 641
Copolymerization equation, 641
Core–shell particles, 667
Cotton fibers, 1861
Cotton yarns, 973
Covalent linkages, 871
Covulcanization, 841
Crack initiation, 489
Creep, 527
Critical micelle concentration (CMC), 431, 571
Critical micelle concentrations (CMCs), 1209
Cross-linking, 375
Cross-polarization (CP), 1165

Crosslinking, 39, 139, 387, 605, 667, 705, 841, 1317
Crosslinking density, in polymer networks, 1317
Crystallite size, 1307
Crystallization, 489
Crystallization exotherms, 857
Crystallization kinetics, 233
Cure, of epoxy resin, 1507
Curing, 75, 1197
Curing kinetics, 305

DC resistivity, of composites, 935
Deformation reversibility, 387
Degradability, of PCL fibers, 289
Degradable materials, 1589
Degradation, 1193
Desorption, 17
DGEBA/DDM stoichiometric epoxy systems, 75
Dielectrometry, 1361
Diels–Alder reaction, 1733
Diepoxide–diisocyanate reaction, 89
Different scanning calorimetry (DSC), 1385
Differential scanning calorimetry (DSC), 89, 131, 163, 233, 305, 323, 455, 481, 501, 627, 679, 705, 741, 961, 1101, 1165, 1431
Diffusion, 17, 451
Difuran diesters, 1837
Direct condensation method, 747
Dispersion polymerization, 1411
Dissociation, 431
D,L-lactide, 865
Doping, 399
Double-base propellant, 1847
Draw ratios, 289
Dried down hydrogel, 1301
Drilling mud additive, 1063
Drug release, 1779
Ductile–brittle fracture transition (DBT), 627
Dynamic mechanical analysis (DMA), 481
Dynamic mechanical studies, 75
Dynamic mechanical thermal analysis (DMTA), 1837
Dynamical mechanical analysis (DMA), electron microscopy, 1173

Elastic strain pulverization (ESP), 1431
Elastomer-based composites, 935
Elastomer–carbon black interaction, 9
Elastomer polarity, 9
Elastomer reactivity, 9
Elastomeric phase, 1307
Electrically conducting polymers, 1827
Electrochemical polymerization, 1855
Electrogalvanized steel (EGS) surface, 437
Electron-beam irradiation, 1643
Electron spectroscopy for chemical analysis (ESCA), 667
Electron spin resonance (ESR), 399, 1703
Electron spin resonance (ESR) spectroscopy, 1431
Electrorheological (ER) fluids, 113
Elemental analysis, 1663
Eluents, 393
Emulsifiers, 1209
Emulsion copolymerization, 1231
Emulsion copolymerization systems, 1017
Emulsion polymerization, 1209
End-alkoxysilylated polymers, 517
Enthalpy of fusion, of alternating copolymers, 1529
Entropy, of alternating copolymers, 1529
Enzymatic degradation, 289, 699
Enzyme electrode, 1441
Enzyme immobilization, 871
Epoxide resin, 1865
Epoxidized natural rubber (ENR), 537
Epoxy adhesives, 437
Epoxy–glass fibers composites, 1771
Epoxy resins, 225, 851, 1507, 1607
Epoxy systems, 75
Equilibrium swelling, 919

Exchange reactions, 1157
External base pair, 621
External Lewis bases, 621
External pH, 351
Extruded rods, 1489
Extruders, 655

Fiber-composite material, 1367
Fiber–rubber interface, 583
Fiber tenacity, 543
Fibers, 57, 247, 1275, 1573
Filled rubber compounds, 1041
Fillers, 1151
Films, 99, 139, 181, 247, 279, 911
—, solvent-treated, 1
Flory–Rehner equation, 1317
Flow behavior, of liquid natural rubber (LNR), 723
Fluorescence, 687
Fluorescence spectroscopy, 889
Fluoroelastomer processing aids (FPA), 1465
Fluoropolymer films, 549
Foam materials, 527
Foam polystyrene, wastes of, 879
Formaldehyde emission, 1007
Fourier-transform infrared (FTIR) spectroscopy, 89, 225, 305, 375, 1101, 1385, 1651
Fourier transform infrared spectroscopy–thermogravimetric analysis (FTIR–TGA), 225
Four point bending tests, 1367
Fractional distillation, 989
Fractionation, 773, 989
Fracture behavior, of PP/EPR blends, 1307
Free energy of activation, 1507
Free-radical polymerization, 1361
Friction measurement system, 1465
Fusion, 1683

Gamma irradiation, effects on yarn, 857
Gas permeation properties, of polyimide films, 99
Gelatin, 1291
Gelation, 39, 1683
Gel permeation chromatography

(GPC), 225, 945, 1101, 1317, 1663
Glass laminates, 359
Globulin membranes, 343
Graft copolymerization, 279, 1197, 1291, 1673
Graft copolymers, 125, 201
Graft polymerization, 653, 997
Grafting, 517, 543, 741
Grinding, of inorganic compounds, 297

Hardeners, 1405
Hemocompatibility, of membranes, 1601
Heterogeneous systems, 1375
High molecular weight acid copolymers, 1405
High-performance fibers, 1275
High-power hydrogen decoupling (HPHD), 1165
High-pressure fluids, 1805
High-solids coatings, 153
Highly water-absorptive hydroxyethylcellulose (HEC) graft copolymers, 201
^{1}H-NMR spectroscopy, 679, 1157
Homogeneous phase carbanilation, 1663
Homopolymers, 1431
Hot solvent extraction, 1
Hot water resistance, of hydrogels, 1619
Hydrogels, 201, 611, 919, 1081, 1301, 1619
Hydrolysis, 1573
Hydrolytic aging; of polycarbonate, 163, 173
Hydrolytic stability, 611
Hydrophilic polymers, 611
Hydroxyterminated polybutadiene (HTPB)-based polyurethanes, 1151

Imbedded fiber retraction (IFR) method, 1069
Immobilization of β-galactosidase, 871
Immobilized globulin membranes, 343
Impact strength, 633
Incompressible hyperelastic solids, 1051
Infrared spectroscopy, 1275, 1317
Infrared spectroscopy (IR), 455, 679
Initiator, 571
Injection-molded polymers, 1241
Injection molding, 807, 821, 1757, 1797
In-line monitoring method, 1361
In-plane shearing stress–strain response, 1367
Interfacial adhesion, 1093
Interfacial polymerization, 1081
Interfacial polymerization technique, 1101
Interfacial tension, 1069
Interpenetrating polymer networks (IPHs), 919
Interpenetrating polymer networks (IPNs), 733
Ion beam irradiation, 99
Ion-containing polymers, 415
Ion-exchange resins analysis, 675
Ion exchangers, 421
Ion implantation, 99, 451
Ionomers, 131, 1185
Irradiation, 1643
Irradiation grafting, 279
Isocyanate–methoxymethyl melamine systems, 153
Isomerization, 705
Isothermal crystallization, 981

Jute fiber, 543

Langmuir–Blodgett (LB) deposition, 1495
Late-stage spinodal decomposition, 753
Latex particle size, 571
Latexes, 961
Leonov viscoelastic fluid model, 1757
Levonorgestrel microspheres, 865
Light-induced polymerization, 359
Linear elastic analysis, 1395
Linseed oil, 1725
Liquefied wood resins, 1563
Liquid crystalline polymer (LCP), 1117
Liquid crystalline polymers (LCP), 561, 1489
Liquid crystalline polymers (LCPs), 113
Liquid-crystalline thermosets (LCT), 1787
Liquid isothermal bath (LIB), 1275
Liquid natural rubber (LNR), flow behavior, 723
Loading–unloading cycles, 1395
Loomstate viscose fabric, 997
Low molecular weight rubber networks, 1173
Low-angle laser light-scattering apparatus (LALLS), 323
Low-profile additives (LPA), 305, 323
Lyotropic systems, 1787

Macroglycol structure, 1329
Macroporous anion exchangers, 421
Magic angle spinning (MAS), 1165
Mass spectrometry, 225
Mathematical modeling, of emulsion copolymerization systems, 1017
Matrix shear deformation, 1691
Matrix–size interactions, 1771
Mechanical characterization, 633
Mechanochemical polymerization, of methyl methacrylate, 297
Melamine-based materials, 209
Melt fracture, 595
Melt mixing, 461
Melt polymerization, 787
Melt rheology, 1747
Melt-phase process, 761
Melt-spinning, 1275
Melting endotherms, 857
Melting point, of alternating copolymers, 1529
Membrane formation, 753
Membrane potential, 343
Membrane-based air separation, 1145
Membranes, 47, 1145
Mesomorphic behaviors, 1217
Metal-containing thin films, 1537

Metal ion concentration, 407
Metal ions, 255
—, separation, 383
Metallized polymer films, 371
Microhardness, 415
Microparticles, 793
Microspheres (MS), 1779
Miscibility, 889, 1747
Miscibility behavior, 1651
Mixed chitin esters, 679
Mohr's salt system, 653
Moldings, 1563
Molecular transport, 17, 1335
Molecular weight distribution (MWD), 945, 1663
Molten polymers, 1069
Monochromatic light irradiations, 1703
Monodisperse particles, 1411
Monomer conversion, 1361
Monomer partition model, 1017
Monsanto processability tester, 1747
Montmorillonite, 119
Mooney scorch time, 537

Nakamura equation, 821
Nanocomposites, 181
NaOH swelling, 1861
Natural rubber composites, 583
^{15}NCP/MAS NMR spectroscopy, 119
Nematic droplets, 1217
Newton-Raphson algorithm, 1051
Nitrocellulose (NC), 1847
NO_2 sensor device, 1451
Nonaffine network (NAN) model, 779
Novolac resin (NR), 1739
Nuclear magnetic resonance (NMR), 1165
Nucleation mechanism, 571
Nylon 66, 687
Nylon 6-clay hybrid materials, 119

Of ionomers, 131
Oil Assimilation, 437
Oligomers, 1583
Olive stone biomass (OLB), 1739
Open-cell foams, 527
Optical microscopy (OM), 323
Optimal temperature profile, 945
Oscillating packing technique, 1797
Oxygen-enriched air (OEA) flux, 1145

Pad/batch method, 481
Parameter estimation, 1231
Particle–particle interactions, 1691
Particle tracking experiments, 761
Particulate composites, 263
PEG-grafted membranes, 1601
Penalty function formulation, 1051
Penicillium corylophilum Dierckx, 1847
Perlite filled high-density polyethylene (HDPE) composites, 1093
Permanganate ion initiation system, 1673
Permeation, 17
Permeation chromatography (GPC), 1385
Personal care products, 605
Pervaporation, 1353
Petroleum pipeline coatings, 1725
PET waste, 1271
Phase compatibility, 461
Phase contrast microscopy (PCM), 455
Phase separation, 753
pH-dependent permeation behavior, of polyelectrolyte complex capsule membranes, 351
pH-dependent solubility behavior, 69
Phenol-formaldehyde (PF) resins, 1007
Phosphorescence, 687
Photo crosslinking, 1441
Photochemical grafting, 1495
Photocross-linking, 1111
Photodegradable polymers, 501
Photodegradation, 1703
Photoinduced graft polymerization, 1707
Photoinitiating agents, 1477
Photoluminescence, 889
Photosensitive polyimides, 1111
Photosensitizing agents, 1477
pH-responsive drug release, 1779
Plasma graft-polymerization, 1537
Plasma polymer films, 1451
Plasma polymerization, 903, 1451
Plasma-irradiated grafting, 741
Plasticizers, 1837
Polarized light microscopy, 1241
Polyacrylamides, 69
Polyamide coatings, 1101
Polycaprolactone (PCL) fibers, hydrolysis, 289
Polyelectrolyte, 1063
Polyester–imides, 747
Polyether–ether ketone (PEK-C), 627
Polyethylene terephthalate (PET)/nylon 6 blend fibers, 57
Polyflavonoid tannin autocondensation, 929
Polyflavonoid tannin characteristics, 107
Polyflavonoid tannins, 1265
Polymer-containing bilayer structures, 1517
Polymer dispersed liquid crystal (PDLC) films, 911
Polymer/liquid crystal (LC) composite, 911
Polymer melt extrusion, 595
Polymer melt film thickness, 1819
Polymer mixtures, 393
Polymer modification process, 501
Polymer–metal interface, 595
Polymer–polymer systems, 1417
Polymer/resin system, 645
Polyol, 1329
Polyolefins, 1465
Polypropylene fibers, 857
Polypyrrole (PPy)/ polythiophene (PTh) double layers, 1855
Polypyrrole–polyurethane composite foam, 283
Polysulfides, 215
Poly(tetramethyene ether glycol) (PTMG), 865
Polyurethane networks, 1301
Polyurethanes,

physicomechanical properties, 1329
Poly(vinyl alcohol) (PVA), as dispersants, 1553
Polyvinyl alcohol (PVA) lead salts complexes, 415
Poly(vinyl chloride) (PVC)–plasticizer interaction, 1683
Poly(vinyl chloride) (PVC) plastisols, 1683
Polyvinyl silicon oil, 1733
PP/EPR blends, fracture behavior, 1307
PPO–PS alloy, 1117
Precipitated silica, 1627
Pressure-sensitive adhesives (PSAs), 645
Process parameters, 247
Propene polymerization, 621
Proton doping, 399

Radiation cross-linking, of acetalized PVA film, 1619
Radiation grafting, 653
Radical copolymerization, 1529
Radical solution polymerization, 911
Radioactive steroids, 1301
Radiopaque epoxy resins, 851
Rate of formation, of polysulfides, 215
Rate-dependent network (RDN) model, 779
Reaction calorimeter data, 1231
Reactive blending, 1157
Reactive oligomers, 989
Real-time infrared spectroscopy, 359
Rechargeable batteries, 1827
Recovery, 527
Reducing agent, 549
Reduction, of fluoropolymer films, 549
Reflection-Absorption FT-IR spectroscopy (RA-IR), 1495
Reinforcing filler, 1627
Residual stress distribution, 247
Residual thiocarbonate, 997
Resins, 407, 675, 1395
Ring-spun yarns, 973
RO performances, of membranes, 47
Rotating disk polycondensation reactor, 1819
Rotor-spun yarns, 973
Rubber vulcanizates, 1137
Rubber–filler interaction, 1185
Rubber-modified polycarbonate (PC), 1691
Rutherford back scattering (RSB) technique, 451

Saccharomyces cerevisiae, 699
SAFT (statistical associating fluid theory) model, 1805
Sanchez–Lacombe model, 1805
Santoprene, 1335
Santoprene rubber, 17
Scanning electron microscopy (SEM), 57, 181, 323, 461, 561, 583, 627, 633, 1101, 1385, 1683
Scorch behavior, of epoxidized natural rubber (ENR), 537
Second-order nonlinear optical (NLO) materials, 209
Segmented copolymers, 1217
Semibatch emulsion copolymerization, 571
Semicrystalline polymers, 807, 821
Semi-interpenetrating polymer networks (SIPN), 793
Semiinterpenetrating polymer networks (SIPN), 961
Shear-induced crystallization, 807, 821
Shear rate, 1489
Shear stress, 113
Shear stress response, 779
Silica filler, 1185
Silica surface modification, 1627
Silicone oils, 667
Silk fibers, 481
Simultaneous interpenetrating polymer networks (SIPN), 1607
Size exclusion chromatography (SEC), 393, 1157
Size-exclusion chromatography (SEC), 605
Small-angle light-scattering (SALS), 1683
Small-angle x-ray scattering (SAXS), 181, 655
Soldering masks, 1583
Sol-gel materials, 209
Sol–gel reactions, 181
Solid-state (CP-MAS) ^{13}C-NMR, 1265
Solid-state postpolycondensation, 787
Solubility fractionation, 989
Solute permeability, of membranes, 1601
Sorbents, 879
Sorption, 17
Sorption–diffusion mechanism, 1335
Specific surface area (SSA), of fibers, 1573
Spencer–Gilmore equation, 821
Spinning velocities, 57
Static stresses, 173
Stereoblock polypropylene/isotactic polypropylene blends, 387
Steric exclusion chromatography (SEC), 173
Steroids, 1301
Strain energy function, 1051
Stress cracking, 247
Stress-relaxation experiments, 1173
Stress–strain curves, 1
Stress-whitened zone (SWZ), 1691
Structure–property changes, 1417
Superabsorbent polymers, 605
Supercritical CO_2 fractionation, 773
Surface segregation, of siloxane, 1131
Swelling, 1601

Tannin, 929
Tannins, 107, 1265
Teflon™ coatings, 595
Tensile testing, 1275
Thermal crosslinking, 1787
Thermal depolymerization, of rubber (NR), 723
Thermal transition, 131
Thermodynamics, 667
Thermogravimetric analysis (TGA), 1101, 1165
Thermomechanical analysis (TMA), 481
Thermoplastic elastomer, 1589
Thermoplastic elastomers, 191

Thermoplastic polyesters, 1819
Thermoplastics, 981
Thermosets, 1787
Thermotropic liquid crystalline polymers (LCPs), 461
Thermoxidative aging, 1771
Thin-film composite polyamide membranes, 47
Tin-containing polymers, 1537
Transcrystalline growth, 981
Transesterification, 455, 561
Transmission electron microscopy (TEM), 125
Transmission electronic microscopy (TEM), 961
Tussah silk, dyeability, 481

Ultrafiltration (UF), 1707
Ultrafiltration-complexation process, 383
Ultrasonication, 699
Ultraviolet (UV) irradiation, 1707
Ultraviolet (UV) spectroscopy, 1663
Ultraviolet (UV)-curable acrylic resins, 359
Ultraviolet-curable coatings, 1477
Ultraviolet radiation, 687
Ultraviolet radiation (UV), 1583
Uniaxial stress, 1375
Unsaturated polyester (UP) resins, 305, 323
Unsaturated polyesters (UP), 1607
Urethane elastomers, 1271
Urethane–methacrylate resins, 1395

Vapor phase polymerization, 283
Vibrating ball mill, 297
Vinyl phosphonate oligomer, 1643
Viscoelastic parameters, 645
Viscosity, 807
Vulcanization, 215, 1041, 1137

Wall slip, 595
Wall–ribbon ratio, 1861
Waste disposal, 501
Waste plastics, 1271
Wastes, of foam polystyrene, 879
Water absorbents, 201
Water softening, 407
Water-based polymers, 645
Water-soluble polymers, 383
Water-swellable polymer latexes, 1081
Weathering trials, 1385
Weld region, 1241
Well drilling, 1063
Wettability, of stainless-steel plate, 903
Wide-angle X-ray diffraction (WAXD), 1275
Wood resins, liquefied, 1563

X-ray photoelectron spectroscopy (XPS), 437, 1131